



ARAGOON
SAFETY PRODUCTS



Disposable Masks

TECHNICAL DATA SHEET

ARAGOON-FFP2

MOULDED DISPOSABLE DUST MASK



PERFORMANCE

Offers an assigned protection factor (APF) of 10 x Occupational Exposure Standard (OES) for fine toxic dusts, fibres, fumes and mists.

FEATURES

- » Meets the FFP2 requirements of EN149:2001+A1:2009.
- » EC Certificate Number 505403, issued by BSi Product Certification.
- » Product Certification, in accordance with the PPE Directive 89/686/EEC.

CERTIFICATIONS

CE 0194
EN149:2001 FFP2 NR

MATERIALS

Man made fibres. Polypropylene co-polymer exhalation valve with rubber diaphragm.

INSTRUCTIONS FOR USE

Mask must be fitted in accordance with the instructions supplied. Care must be taken to ensure that the correct mask type is selected for the work to be carried out. If in doubt as to the type of mask required seek professional advice.





TECHNICAL DATA SHEET


LIMITED WARRANTY

IMPORTANT NOTICE TO PURCHASER

This limited warranty is made in lieu of the warranties of merchantability, fitness for particular purposes and all other warranties, express or implied. There are no other warranties which extend beyond the description on the face hereof. The physical standards and specifications of ARAGOON PTY LTD will be met by products sold.

Exclusive Remedies: damages for the breach of this limited warranty are limited to the

replacement of such quantity of ARAGOON PTY LTD, products proved to be defectively manufactured. Except as provided above, ARAGOON PTY LTD shall not be liable or responsible for any loss, damage, or liability, direct, indirect, incidental, special, or consequential, arising out of sale, use, or misuse, or the inability to use products by users.



Storage temperature



Humidity of storage conditions

SERVICE TIME LIMITATION

- » Do not use the same respirator for more than 8 hours, continuous or intermittent, in dirty workplaces that could result in high filter loading.
- » Leave contaminated area and remove respirator if breathing becomes difficult or proper fit cannot be obtained or the respirator is damaged, soiled, or distorted. Do not use the same respirator again once removed.

NOTES

- » Use in well ventilated areas only, which are not deficient in oxygen and do not contain explosive atmospheres.
- » This mask is not designed to be worn by people with facial hair.





TECHNICAL DATA SHEET

WARNINGS

READ AND UNDERSTAND BEFORE USE

1. A properly selected respirator is essential to protect your health. Before using this product consult a safety professional to determine its suitability for your intended application.
2. As with any respiratory device, the wearer **MUST** be adequately trained prior to use. Before use, the wearer should always check the mask is in good condition - not dirt, no damage to headstrap attachment etc.
3. This product does not protect the wearer against gases, vapors or mist whose liquids produce harmful vapors or gases.
4. Do not use in sandblasting operations.
5. This product does not supply oxygen. Use this respirator only in well-ventilated areas containing sufficient oxygen (at least 19.5%) to support life.
6. Do not use when contaminant and the concentration are unknown or immediately dangerous to life and health.
7. Leave work area immediately if:
 - A) breathing becomes difficult.
 - B) dizziness or other distress,
 - C) the respirator becomes damaged or
 - D) an emergency occurs.
8. If user has any illness or discomfort, consult a licensed medical doctor to determine suitability of use.
9. Facial hair and certain facial characteristics will prohibit effective use of this product.
10. Replace a respirator when the breathing resistance become excessive due to dust loading or after a maximum of 8-hours continuous usage, "single shift use".
11. Failure to observe all warnings and instructions on the use of this respirator may result in serious illness or permanent injury.
12. The equipment should not act at an ignition source and it should not be use in explosive atmospheres as the concentration of contaminants within normal flammability range would exceed the limits in the selection guide.
13. Store respirator in a sealed container away from contaminated areas when not in use.
14. Store respirator in the original packing during transport.
15. Please make sure the mask fit properly before entering working environment.





TECHNICAL DATA SHEET

PARITCULATE RESPIRATOR

The filtering respirator is designed for applications involving fine non-toxic dust and fibers. This respirator meets the requirements of EN 149 (FFP2 NR) and should be used to protect the wearer from solid and water based aerosols only. The respirator can be used in concentrations of contaminant up to 10 times the Occupational Exposure Limits (OEL).

CLEANING & MAINTENANCE

Not applicable – disposable product. Store the masks out of direct sunlight away from chemicals and in a dry atmosphere.

FIT CHECK

Check the fit of the mask by covering with both hands and exhale vigorously.
Any leaks around the face seal must be eliminated before entering contaminated area.

INSTRUCTIONS FOR USE

1. Suitable for use against solid and liquid particulates including oil based mists.
2. This product does not protect against gases or where oxygen levels are below 17%.
3. Do not use when concentrations or contaminants are unknown or dangerous to life.
4. Leave the work area if distress or dizziness occurs.
5. Do not alter or modify the product in any way.
6. This product is intended only for single use and must not be used for more than 8 hours. Replace mask if contaminated or if breathing becomes difficult.
7. Facial hair may affect the efficiency of the product.
8. Do not use in an explosive area.
9. Ensure the product is suitable for the intended use.
10. Place/protect the product when not in use within its packaging.
11. Store within -5° C - +50° C. Store at <75% RH.

FITTING INSTRUCTIONS

- » Hold the mask firmly and place the bottom headband over the head to the nape of the neck.
- » Place the mask under the chin, then over the nose, putting the top head band over the crown of the head.
- » Ensure that the nose clip is moulded around the nose securely.





ARAGOON

SAFETY PRODUCTS




Disposable Masks

TECHNICAL DATA SHEET



STEP 1:

Hold the respirator in hand with the nosepiece at your fingertips, allowing the headbands to hang freely below your hand.



STEP 2:

Press the respirator firmly against your face with the nosepiece on the bridge of your nose.



STEP 3:

Stretch and position the top band high on the back of the head. Stretch the bottom band over the head and position below your ears.



STEP 4:

Using both hands, mold nosepiece to the shape of your nose.



STEP 5:

To test fit: A) Cup both hands over the respirator being careful not to disturb position, and B) Inhale vigorously. If air leaks around the edges, reposition the straps or adjust strap tension for better fit.

ABOUT ARAGOON

 AUSTRALIA - SYDNEY
 www.aragoon.com.au
 info@aragoon.com.au
 +61 415 251 119

 UAE - DUBAI
 www.aragoon.com.au
 info@aragoon.com.au
 +971 503 242 474



ARAGOON®

© 2019 Aragoon Ltd