

RESPIRATORY PROTECTION

2020

Masks Catalogue



ARAGOON-N95

MOULDED DISPOSABLE DUST MASK

The AN95 is NIOSH approved respirator which has the additional benefits of being foldable for easy storage in a worker's pocket. The slightly different shape may be able to fit more workers in any workplace. This model has been designed to easily meet NIOSH's stringent approval requirements for breathing resistance and filteration efficiency. N95 cone respirator with white or blue outer layer.



MATERIALS


Man made fibres. Straps are manufactured from textile elastic and welded to the side of the mask.

FEATURES

Meets NIOSH 42 CFR 84 N95 requirements.

RECOMMENDED INDUSTRIES

Commercial Buildings, Construction, Design & Construction, Food Processing, Food Safety, General Manufacturing, Heavy Infrastructure, Mining, Oil & Gas, and Transportation.





ARAGOON-N95V

MOULDED DISPOSABLE DUST MASK

The AN95 is NIOSH approved respirator which has the additional benefits of being foldable for easy storage in a worker's pocket. The slightly different shape may be able to fit more workers in any workplace. This model has been designed to easily meet NIOSH's stringent approval requirements for breathing resistance and filteration efficiency.

AN95V cone respirator with exhalation valve.



MATERIALS


Man made fibres. Polypropylene co-polymer exhalation valve with rubber diaphragm. Straps are manufactured from textile elastic and welded to the side of the mask.

FEATURES

Meets NIOSH 42 CFR 84 N95 requirements.

RECOMMENDED INDUSTRIES

Commercial Buildings, Construction, Design & Construction, Food Processing, Food Safety, General Manufacturing, Heavy Infrastructure, Mining, Oil & Gas, and Transportation.





ARAGOON-FFP3

SINGLE SHIFT USE VALVED PARTICULATE RESPIRATOR.

MATERIALS

1. Outer Layer: Polypropylene Fabric.

2. Filter Media: High Filteration Efficiency

Melt-Blown (polypropylene).

3. Inner Layer: Polyester Fabric.

4. Nosebridge: Aluminium.

5. Nose Foam: PVC Foam.

6. Headstrap: Knitted Elastic Band.

7. Headstrap Buckle: Polypropylene (PP).

8. Exhalation Valve: Valve Housing - Polypropylene.

Valve Membrane - Synthetic

Rubber.

APPLICATIONS

- » Textile industry
- » Craft work.
- » Iron and steel industry.
- » Mining.
- » Underground civil engineering.
- » Woodworking.
- » Welding work, cutting and casting of metals.
- » Hospitals, laboratory and disease control.
- » Pharmaceutical industry.
- » Disposal of toxic waste.
- » Manufacturing of batteries (Ni-Cad).

FEATURES

- » Single shift use valved particulate respirator.
- » Features exhalation valve to reduce temperature and humidity within the respirator and improve exhalation resistance.

CERTIFICATIONS

CE 0194

EN149:2001 FFP3 NR D

PROTECTION

For protection against non-toxic, low to average toxicity and high toxicity solid and liquid aerosols, e.g. oil-mists, in concentrations up to 20X WEL (Workplace Exposure Limit). i.e. APF (Assigned Protection Factor) = 20

PERFORMANCE

Offers an assigned protection factor (APF) of 10 x Occupational Exposure Standard (OES) for fine toxic dusts, fibres, fumes and mists.



ARAGOON-FFP2

MOULDED DISPOSABLE DUST MASK

PERFORMANCE

Offers an assigned protection factor (APF) of 10 x Occupational Exposure. Standard (OES) for fine toxic dusts, fibres, fumes and mists.



MATERIALS

Man made fibres.

FEATURES

- » Meets the FFP2 requirements of EN149:2001+A1:2009.
- » EC Certificate number 505403, issued by BSi product certification.
- » Product Certification, in accordance with the PPE Directive 89/686/EEC.

RECOMMENDED INDUSTRIES

Commercial Buildings, Construction, Design & Construction, Food Processing, Food Safety, General Manufacturing, Heavy Infrastructure, Mining, Oil & Gas, and Transportation.

CERTIFICATIONS

C€ 0194 EN149:2001 FFP2 NR



ARAGOON-FFP2

MOULDED DISPOSABLE DUST MASK

PERFORMANCE

Offers an assigned protection factor (APF) of 10 x Occupational Exposure Standard (OES) for fine toxic dusts, fibres, fumes and mists.



MATERIALS

Man made fibres. Polypropylene co-polymer exhalation valve with rubber diaphragm.

FEATURES

- » Meets the FFP2 requirements of EN149:2001+A1:2009.
- » EC Certificate Number 505403, issued by BSi Product Certification.
- » Product Certification, in accordance with the PPE Directive 89/686/EEC.

RECOMMENDED INDUSTRIES

Commercial Buildings, Construction, Design & Construction, Food Processing, Food Safety, General Manufacturing, Heavy Infrastructure, Mining, Oil & Gas, and Transportation.

CERTIFICATIONS


C€ 0194 EN149:2001 FFP2 NR



ARAGOON-FFP2 Carbon MOULDED DISPOSABLE DUST MASK

PERFORMANCE

Offers an assigned protection factor (APF) of 10 x Occupational Exposure Standard (OES) for fine toxic dusts, fibres, fumes and mists.



MATERIALS

Man made fibres, with the addition of a charcoal layer. Polypropylene co-polymer exhalation valve with rubber diaphragm.

FEATURES

- » Meets the FFP2 requirements of EN149:2001+A1:2009.
- » EC Certificate Number 505403, issued by BSi Product Certification.
- » Product Certification, in accordance with the PPE Directive 89/686/EEC.

RECOMMENDED INDUSTRIES

Commercial Buildings, Construction, Design & Construction, Food Processing, Food Safety, General Manufacturing, Heavy Infrastructure, Mining, Oil & Gas, and Transportation, Chemical Vapors and Welding.

CERTIFICATIONS

C€ 0194 EN149:2001 FFP2 NR



AP₁

MOULDED DISPOSABLE DUST MASK



MATERIALS

Polyester

FEATURES

- » Lightweight
- » Disposable
- » Inexpensive

RECOMMENDED INDUSTRIES

- » Medical and dental.
- » Safety.
- » Food service industry.
- » Agriculture.
- » Laboratories.

ABOUT ARAGOON

- ARAGOON PTY LTD, ABN 11633169552,
 PO BOX 4009 HOMEBUSH SOUTH NSW 2140, SYDNEY AUSTRALIA.
- ARAGOON FZE, 2602540, JEBEL ALI FREE ZONE AUTHORITY, DUBAI, UAE.
- www.aragoon.com.au
- info@aragoon.com.au